Swift Racing

world rowing development programme

world rowing official supplier

Swift Racing Catalogue

Accessories

Ver.3.15





Tre61cmB
Foldable steel trestles (slings) for 1s and 2s (pair)
Material: Steel **Standard:** no



Tre86cmB
Foldable steel trestles (slings) for 4s and 8s (pair)
Material: Steel **Standard:** no



Tre44cmB
Foldable steel trestles (slings) for 1s and 2s (pair) - mini
Material: Steel **Standard:** no

Now available in aluminium.



Tre61cmA
Foldable aluminum trestles (slings) for 1s and 2s (pair)
Material: Aluminium **Standard:** no



Tre86cmA
Foldable aluminum trestles (slings) for 4s and 8s (pair)
Material: Aluminium **Standard:** no

When the canvas on your Swift trestles (slings) has become worn, or damaged, they can be replaced with Tre61can and Tre86can. Start to offer the new black canvas Tre61canB and Tre86canB from March 2017.



Tre61canB
Replacement canvas for Tre61cm
Material: Nylom **Standard:** no

Tre86canB
Replacement canvas for Tre86cm, Tre86cmA & Tre78cmCO
Material: Nylom **Standard:** no

Tre61AcanB
Replacement canvas for Tre61cmA
Material: Nylom **Standard:** no



Tre-foot
Cap for foot of trestle
Material:Nylon **Standard:** no



Tre1
Plus (+) head bolt with lock nut and 1 nylon spacers (5 x 45mm)
Material: Stainless **Standard:** no
Tre1a: 5 x 45mm
Tre1c: 5 x 35mm to replace 45mm
Tre1d: 5 x 60mm to replace 65mm
Tre1e: 5 x 55mm for Tre44cmB



Tre61Bcon
Connector for Tre61cmB
Material: Steel **Standard:** no

Tre86Bcon
Connector for Tre86cmB
Material: Steel **Standard:** no

Tre78Bcon
Connector for Tre78cmB
Material: Steel **Standard:** no



Tre61Acon
Connector for Tre61cmA
Material: Aluminium **Standard:** no

Tre86Acon
Connector for Tre86cmA
Material: Aluminium **Standard:** no

Tie down straps

Straps have EU'sCE certification - EN12195-2.



Strap2.5

2.5m nylon strap with buckle (new type - yellow)

Material: Nylon **Standard:** no



Strap3.5

3.5m nylon strap with buckle (new type - blue)

Material: Nylon **Standard:** no

Car roof & trailer carriers


CarV and CarF are simply bolted to the main pipe, so can be changed or moved easily. CarV can also be used on trailers or in boathouses.



Car1c

Carrier for RS1x - complete (incl. 1 of Car2900, 2 of Car600, CarUa, CarUc, CarPlateB, 1 of Foam-I with 2 cable ties)


Material: Aluminium **Standard:** no



Car2c

Carrier for RS2x - complete (incl. 1 of Car2900, 2 of Car600, CarUa, CarUc, CarPlateB)

Material: Aluminium **Standard:** no



CarCO1c

Carrier for CO1x - complete (incl. 1 of Car2900, 2 of Car760, CarUa, CarUc, CarPlateB)


Material: Aluminium **Standard:** no



Car2900

2900x50mmx50mm (9.5'x2"x2") ali pipe (Incl. 2 of CarCap50)

Material: Aluminium **Standard:** no



Car600

600x40x40mm (20") square pipe - complete (incl. 2 of CarCap40, 3M Anti-slip tape)

Material: Aluminium **Standard:** no

Car760

760x40x40mm (28") square pipe - complete (incl. 2 of CarCap40, 3M Anti-slip tape)

Material: Aluminium **Standard:** no



CarUa

U bolt (85x85mm) with washers & locking nuts - attach carrier to CarMain pipe

Material: Stainless **Standard:** no

CarUc

U bolt (105x115mm) with washers & locking nuts - attach CarMain pipe to car

Material: Stainless **Standard:** no



CarPlateB

Ali plate for use with CarUc to attach main pipe to car's roof rack (30x135mm)

Material: Aluminium **Standard:** no



CarCap40

End cap for CarV and CarF

Material: Nylon **Standard:** no

CarCap50

End cap for CarMain

Material: Nylon **Standard:** no



CarTape

Anti-slip tape for Car600 and Car760 - 33mm x 150mm

Material: Nylon **Standard:** no

Seat pad

Show your rear end some love with our neoprene seat pads.



Pad-strap

Strap for fixing seat pads to seat (velcro)

Material: Nylon **Standard:** no



Pad2

Neoprene Seat pad

Material: Rubber **Standard**: no

Pad2-s-5: small - 5mm thick (26.5cm wide)

Pad2-s-10: small - 10mm thick (26.5cm wide)

Pad2-l-5: large - 5mm thick (29cm wide)

Pad2-l-10: large - 10mm thick (29cm wide)



Pad3

Seat pad

Material: EVA **Standard**: 07/2026~

Pad3-s: For Sea31B-310F, with self-adhesive backing - small **Fin3C-**

Pad3-l : For Sea31B-335F, with self-adhesive backing - large

Tools

All of the high quality tools you need for rigging your boats.



PS19

5m tape measure (metric)

Material: Stainless **Standard:** no



OWSF17-19

17-19mm, mirror finish, double open end wrench

Material: Stainless **Standard:** no



GR-13

13mm gear wrench

Material: Stainless **Standard:** no



AWS-150
Soft grip adjustable wrench (150mm long)
Material: Stainless **Standard:** no



SD10-125
10mm Nut Driver Soft Handle
Material: Stainless **Standard:** no



SD13-125
13mm Nut Driver Soft Handle
Material: Stainless **Standard:** no



CF-50R
Auto-lock Cutter Knives in TPE softgrip case
Material: Stainless **Standard:** no



TP-6
Combination pliers with Bi-colored handles
Material: Stainless **Standard:** no



Driver
Multi screw driver
Material: Stainless **Standard:** no



Multi
Swift multi spanner - stainless
Material: Stainless **Standard:** no



Swifty
Swift branded 10-8-13mm wrench -stainless
Material: Stainless **Standard:** no



LTW-10
10mm Nut Driver - L shape
Material: Stainless **Standard:** no



BL-2.5C-1
2.5mm Allen key - 110mm long for CO1x & 2x fin
Material: Stainless **Standard:** no

The tool below can be set to a certain span to make fast and reliable rigging of riggers with C brackets (RWR, CO folding riggers), span and lateral pitch, especially useful for rental CO boats.



STR1
90 degree “ends”, per pair (incl. 2 of ScrHex6x70mm, 2 of WashSpr6W, 1 of WashSpr6 & Wing6)
Material: Aluminium **Standard:** no



STR1a-c
Complete rigging tool for C brackets – long pipe (engraved with boat widths), incl. 1 of SRT1
Material: Aluminium **Standard:** no

Other

Digital protractor is 50.8 x 50.8 x 32.0mm (2 x 2 x 1.3 inch).



Digpro
Digital protractor in aluminium casing
Material: Aluminium **Standard:** no



PG1

Pitch gauge - 20cm long

Material: Aluminium **Standard**: no



Bumbag

Black “bum bag” for tools, white embroidered logo

Material: Nylon cloth **Standard:** no



Bumbag-R

Black “bum bag” for tools for Reverse rigger, blue embroidered logo

Material: Nylon cloth **Standard:** no



Bumbag-PR

Black “bum bag” for tools for PARA, orange embroidered logo

Material: Nylon cloth **Standard:** no



Bumbag-CO1x

Black “bum bag” for tools for CO1x, yellow embroidered logo

Material: Nylon cloth **Standard:** no



Bumbag-CO2x

Black “bum bag” for tools for CO2x, yellow embroidered logo

Material: Nylon cloth **Standard:** no



Bumbag-CO4x+

Black “bum bag” for tools for CO4x/+, yellow embroidered logo

Material: Nylon cloth **Standard:** no



TB-Std

Complete black “bum bag” for Traditional & Stern wing riggers , (incl.1 of PS19-5.0, Swifty10-8-13, GR-13, SD10-125, Driver, Multi-1, Bumbag, 2 of OWSF17-19)

Material: Nylon **Standard**: yes



TB-R

Complete black “bum bag” for Reverse rigger, (incl.1of PS19-5.0, Swifty10-8-13, SD10-125, Driver, Multi-1, Bumbag)

Material: Nylon **Standard**: yes



TB-PR

Complete black “bum bag” for PARA, (incl.1of PS19-5.0, Swifty10-8-13, SD13-125, Driver, Multi-1, Bumbag, 2 of OWSF17-19)

Material: Nylon **Standard**: yes



TB-CO1x

Complete black “bum bag” for CO1x, (incl.1 of PS19-5.0, Swifty10-8-13, SD10-125, Driver, Multi-1, BL-2.5C, Bumbag)

Material: Nylon **Standard**: yes



TB-CO2x

Complete black “bum bag” for CO2x, (incl.1 of PS19-5.0, Swifty10-8-13, LTW-10, Driver, Multi-1, BL-2.5C, Bumbag)

Material: Nylon **Standard**: yes



TB-CO4x+

Complete black “bum bag” for CO4x/+, (incl. 1 of PS19-5.0, Swifty10-8-13, LTW-10, Driver, Multi-1, Bumbag)

Material: Nylon **Standard**: yes



BT1a

Boat lift (190-200cm long)

Material: Aluminium **Standard:** no



Foam-s

Rack foam (small size) - 260x77x50mm

Material: Rubber **Standard:** no

Foam-m

Rack foam (medium size) - 300x80x50mm

Material: Rubber **Standard:** no

Foam-l

Rack foam (large size) - 440x110x50mm

Material: Rubber **Standard:** no



LJ2a

Life jacket - buoyancy 150N

Material: Nylon **Standard:** no



WB-strap

Water bottle velcro strap

Material: Nylon **Standard**: no



StandCO

Inflatable stand for Coastal boats, orange with black logo - 40cm diameter, 70cm long

Material: PVC **Standard**: no



PumpH

High pressure 2 way air pump for inflatable stand

Material: Plastic **Standard**: no

TRANSPORT BOAT COVERS

Swift makes a range of boat covers to fit all of our boats.
They are 3 ply, so offer great protection from the weather and accidental damage, especially useful when transporting your boats (without riggers).

They all have brightly coloured ends and a red flag.

RS cover:











CO cover:







STORAGE BOAT COVERS

Storage covers are single ply, cover the hull of boats stored outside (with riggers).

RS cover




CO cover



"TOP" BOAT COVERS FOR COASTAL BOATS

Top covers are single ply, cover the bow deck and cockpit of Coastal boats stored outside on trolleys (with riggers)

CO cover



To order boat covers, let us know the mould number of your boat, and rigger type.

Swift's rigger covers are similar to our boat covers and come in the following sizes.

Aluminium wing rigger covers are light grey. Carbon reverse wing rigger covers are black.Gig wing riggers have orange trim.1s, 2s, 4s & 8s wing riggers have black trim.

RC/Sc
Aluminium stern wing scull rigger cover



RC/Sc1/2/4/8 : for 1x,2x,4x,8x, seat 3# of Gig2 and seat 4# of Gig4
RC/ScPR-s : for PARA - span 125~145mm
RC/ScPR-m : for PARA - span 140~160mm



RC/ScGig : of Gig2 and seat 4# of Gig4

RC/Sw
Aluminium stern wing sweep rigger cover



RC/Sw1/2/4/8b : for 2-,4-,4+,8- and 8+ - bowside
RC/Sw1/2/4/8s : for 2-,4-,4+,8- and 8+ - strokeside




RC/Sw Gigb : for Gi - bowside
RC/Sw Gigs : for Gig - strokeside

RW/RC//Sc
Aluminium reverse wing scull rigger cover



RW/RC//Sc-s : for PARA - span 125~145cm
RW/RC//Sc-m : for small and medium size rigger of Cadet, Cadet mini & PARA - span 140~160mm
RW/RC//Sc-l : for all RS (span 154~164cm), large size rigger of Cadet & CO1x

RW/RC/Sw
Aluminium reverse wing sweep rigger cover



RW/RC/Sw/b : bowside
RW/RC/Sw/s : strokeside

CRW/RC//Sc
Carbon reverse wing scull rigger cove



CRW/RC//Sc-l : for all RS (span 154~164cm)

CRW/RC/Sw
Carbon reverse wing sweep rigger cover



CRW/RC/Sw/b : for all bowside
CRW/RC/Sw/s : for all strokeside

Covers - Backstay covers



RC/bs
Cover for CO beach sprint fin Fin57
RC/bs95 : to 95cm
RC/bs105 : to 105cm

Covers - Oarlock cover



RC/Oarlock
Oarlock cover
Material: Nylon **Standard**: no

Covers - Float cover



FC Float cover

Covers - Coastal fin covers



Fin57C
Cover for CO beach sprint fin Fin57
Material: Nylon **Standard:** 06/2023~

Fin55SC
Cover for CO small fin Fin55S
Material: Nylon **Standard:** 06/2023~

Fin55MC
Cover for CO medium fin Fin55M
Material: Nylon **Standard:** 06/2023~

All content included in this product catalogue, such as text, graphics, logos, images, and audio/video clips is the property of Swift International Ltd and is protected by international copyright laws.

By using or accessing this product catalogue, you agree to abide by all copyright and intellectual property laws.

Unauthorized copying, reproduction, modification, distribution, transmission, display, or exploitation of any part of this catalogue, whether for commercial or non-commercial purposes, is strictly prohibited without the prior written consent of Swift International Ltd. Swift International Ltd reserves the right to take legal action against any individual or entity that violates the aforementioned restrictions.

For any inquiries regarding the use or reproduction of the content in this catalogue, please contact Swift International Ltd at contact@swiftracing.com

Copyright 2024. All Rights Reserved.